

| PULL WHEEL LOCK AVAILABILITY (Offset, Curved, and Straight Axle Plates) | | | | | |
|--|---------------------------|--------------------|--------------------|------|--------|
| Frame | | Small | Medium | Long | X Long |
| Rear Wheel Size | Rear Seat To Floor Height | | | | |
| 20 | 13.0 | Forward Mount Only | | | |
| | 13.5 | | | | |
| | 14.0 | | | | |
| | 14.5 | | | | |
| | 15.0 | | | | |
| | 15.5 | | | | |
| | 16.0 | | | | |
| | 16.5 | | | | |
| | 17.0 | | | | |
| | 17.5 | | | | |
| 18.0 | | Reverse Mount Only | | | |
| 18.5 | | | | | |
| 22 | 13.5 | Forward Mount Only | | | |
| | 14.0 | | | | |
| | 14.5 | | | | |
| | 15.0 | | | | |
| | 15.5 | | | | |
| | 16.0 | | | | |
| | 16.5 | | | | |
| | 17.0 | | | | |
| | 17.5 | | | | |
| | 18.0 | | | | |
| 18.5 | | | | | |
| 19.0 | | | | | |
| 19.5 | | | | | |
| 20.0 | | | | | |
| 24/25 | 14.5 | N/A | Forward Mount Only | | |
| | 15.0 | | | | |
| | 15.5 | | | | |
| | 16.0 | | | | |
| | 16.5 | | | | |
| | 17.0 | | | | |
| | 17.5 | | | | |
| 18.0 | | | | | |

| PULL WHEEL LOCK AVAILABILITY (Amputee Axle Plate) | | | | |
|--|---------------------------|---|---|---|
| Frame | | Small | Medium | Long |
| Rear Wheel Size | Rear Seat To Floor Height | | | |
| 20 | 14.0 | Forward Mount Only **** N/A with SPHA & SPHA Flip Back Arms | Forward Mount Only **** N/A with SPHA & SPHA Flip Back Arms | Reverse Mount Only |
| | 14.5 | | | |
| | 15.0 | | | |
| | 15.5 | | | |
| | 16.0 | | | |
| | 16.5 | | | |
| | 17.0 | | | |
| | 17.5 | | | Forward Mount Only N/A with SPHA & SPHA Flip Back Arms |
| | 18.0 | | | |
| | 18.5 | | | |
| 19.0 | | | | |
| | | | | |
| 22 | 14.5 | N/A | N/A | Reverse Mount Only |
| | 15.0 | | | |
| | 15.5 | | | |
| | 16.0 | | | |
| | 16.5 | | | |
| | 17.0 | | | |
| | 17.5 | | | |
| | 18.0 | | | |
| | 18.5 | | | |
| | 19.0 | | | |
| 19.5 | | | | |
| 20.0 | | | | |
| 24/25 | 15.5 | N/A | N/A | |
| | 16.0 | | | |
| | 16.5 | | | |
| | 17.0 | | | |
| | 17.5 | | | |
| | 18.0 | | | |
| | 18.5 | | | |
| | 19.0 | | | |
| | 19.5 | | | |
| | 20.0 | | | |
| 20.5 | | Reverse Mount Only | | |

| | | | | | |
|----|------|--|--------------------|--------------------|--|
| | 18.5 | | | | |
| | 19.0 | | | | |
| | 19.5 | | | | |
| | 20.0 | | | | |
| | 20.5 | | | | |
| | 21.0 | | | | |
| | 21.5 | | | | |
| 26 | 15.5 | | N/A | Forward Mount Only | |
| | 16.0 | | | | |
| | 16.5 | | | | |
| | 17.0 | | | | |
| | 17.5 | | | | |
| | 18.0 | | | | |
| | 18.5 | | | | |
| | 19.0 | | | | |
| | 19.5 | | Forward Mount Only | | |
| | 20.0 | | | | |
| | 20.5 | | | | |
| | 21.0 | | | | |
| | 21.5 | | | | |
| | 22.0 | | | | |

| | | | | | | |
|----|------|-----|-----|------------|--|--|
| | 21.0 | N/A | N/A | Mount Only | | |
| 26 | 17.0 | | | | | |
| | 17.5 | | | | | |
| | 18.0 | | | | | |
| | 18.5 | | | | | |
| | 19.0 | | | | | |
| | 19.5 | | | | | |
| | 20.0 | | | | | |
| | 20.5 | | | | | |
| | 21.0 | | | | | |
| | 21.5 | | | | | |
| | 22.0 | | | | | |



